




+91 98248-40333





info@decantelevators.com



www.decantelevators.com



OVER SPEED GOVERNOR (Ø300) WITH SWITCH





- Sheave Dia - 300mm
- Rope Dia - 6-8mm
- Action - Bi = directional

AS PER EN ISO 1013			
Code	Normal speed (m/s)	Normal speed (ft/min)	Maximum speed (m/s)
SP001011	0.51	0.56	0.83
SP001012	0.63	0.68	0.79
SP001013	0.62	0.64	1.03
SP001014	1.00	1.15	1.25
SP001015	1.20	1.23	1.50
SP001016	1.50	1.73	1.88
SP001017	1.80	1.84	2.03
SP001018	1.80	2.07	2.25
SP001019	2.00	2.30	2.50

AS PER IS 1013			
Code	Normal speed (m/s)	Normal speed (ft/min)	Maximum speed (m/s)
SP001011S	0.50	0.53	0.70
SP001012S	0.63	0.73	0.84
SP001013S	0.62	1.03	1.75
SP001014S	1.00	1.25	1.40
SP001015S	1.20	1.50	1.68
SP001016S	1.50	1.88	2.10
SP001017S	1.80	2.00	2.24
SP001018S	1.80	2.25	2.52
SP001019S	2.00	2.50	2.80

OVER SPEED GOVERNOR (Ø200) A3 COMPLIANT

CODE - SP00343



- Sheave Dia. - 200mm
- Rope Dia. - 6-8mm
- Action - Bi-directional
- A3 Norm Compliant to avoid
- unintended car movement

AS PER EN NORM

Code	Nominal speed max m/s	Electrical tripping speed m/s	Mechanical tripping speed m/s
SP00182 1	1.00	1.15	1.25
SP00182 2	1.20	1.38	1.50
SP00182 3	1.50	1.73	1.88


AS PER EN NORM

Code	Nominal speed max m/s	Electrical tripping speed m/s	Mechanical tripping speed m/s
SP00182 1_IS	1.00	1.25	1.40
SP00182 2_IS	1.20	1.50	1.68
SP00182 3_IS	1.50	1.88	2.10

ROPE TENSIONER




- Pulley Dia. - 300mm/200mm
- Rope Dia. - 6-8mm
- Available with switch to control rope stretch



Rope Tensioner without record


Code	Type of Wt.	Dead Wt. (Kgs.)
SP00134_C10	Casting	10 Kgs
SP00134_C20	Casting	20 Kgs
SP00134_F10	Filler	10 Kgs
SP00134_F15	Filler	15 Kgs
SP00134_C10	Casting	10 Kgs
SP00134_C20	Casting	20 Kgs
SP00134_F10	Filler	10 Kgs
SP00134_F15	Filler	15 Kg

SINGLE ROLLER INSTANTANEOUS SAFETY GEAR



Action - Instantaneous
For Capacity - Upto 8 Passenger

For Speed - Upto 1.0 m/s
For Rail Size - 9mm, 10mm, 16mm



CODE	RAILS	MAX NORMAL SPEED	MAX GOVERNER INTERVENTION SPEED
SP00338	8 & 9/16 mm	0.6m/s - 1m/s	1.0m/s - 1.10m/s
CODE	MATERIAL		UIDE RAIL PROCESSING
REAR M10	C 5		OILED / DRY

Table of Contents

SAFETY COMPONENTS

OVER SPEED GOVERNOR (Ø300) WITH SWITCH	01
OVER SPEED GOVERNOR (Ø200) A3 COMPLIANT	02
ROPE TENSIONER	03
DOUBLE ROLLER INSTANTANEOUS SAFETY GEAR	04
SINGLE ROLLER INSTANTANEOUS SAFETY GEAR	06
SAFETY MECHANISM	07

CAR FRAME COMPONENTS

ROPE ANCHORAGE SWIVEL TYPE	08
ROPE ANCHORAGE	10
ROPE EYE & BULLDOG CLIP	12
GUIDE SHOE	14
OILER & OIL COLLECTORS	21
DIVERTER PULLEY FOR CAR FRAME	22
DIVERTER PULLEY FOR MACHINE	23
PULLEY ACCESSORIES	24

CABLE HANGER

CABLE HANGER	26
--------------	----

BUFFERS

SPRING BUFFER	28
---------------	----

ISOLATORS

ISOLATORS	31
-----------	----

BRACKETS & ACCESSORIES



ELEVATOR BRACKETS	33
BRACKET & ACCESSORIES	40
KEYS	41
RAIL CLIPS	42

Table of Contents

MECHANICAL ACCESSORIES	43
ELECTRICAL ACCESSORIES	50
CONTROL PANEL ACCESSORIES	54
DECORATION ACCESSORIES	58




ROPE ANCHORAGE




CODE	ROPE D mm	ø H	L mm	TL mm	A	B	C	D	E	F	MIN STRENGTH KN
SP00102 1	6 - 8	M12	375	105	110	32	6.5	50	225	150	40
SP00102 2	9 - 11	M16	455	110	121	40	9	55	260	195	75
SP00102 3	12 - 14	M20	480	200	156	50	9	60	300	180	85

ROPE ANCHORAGE




CODE	ROPE Ø mm	Ø H	L mm	TL mm	A	B	C	D	E	F	MIN STRENGTH KN
SP00103 1	6 - 8	M12	375	105	73.5	54	50	225	150	40	40
SP00103 2	9 - 11	M16	455	110	73.5	54	55	260	195	75	75
SP00103 3	12 - 14	M20	480	200	73.5	54	60	300	180	85	85

ROPE EYE & BULLDOG CLIP



• White Zinc Plated

• Yellow Zinc Plated



CODE	ROPE D.mm	TIGHTENING TOURQUE Nm
SP00062 1	5 - 6	4,24
SP00062 2	7 - 8	4,24
SP00062 3	9 - 10	10,20
SP00062 4	12 - 13	20,11
SP00062 5	15 - 16	20,11


ROPE EYE & BULLDOG CLIP



Finish Available



• White Zinc Plated

• Yellow Zinc Plated



CODE	ROPE D.mm
SP00340 1	3 - 4
SP00340 2	5 - 6
SP00340 3	7 - 8
SP00340 4	9 - 10
SP00340 5	11 - 12
SP00340 6	13 - 14




GUIDE SHOE



For Capacity - Upto 8 Passenger
 For Speed - Upto 0.85 m/s
 For Rail Size - 9mm, 10mm.

Rail Size	Load daN
For 5 to 10 mm	1000


GUIDE SHOE




For Capacity - Upto 1.5 Tonne
 For Speed - Upto 0.6 m/s
 For Rail Size - 16mm


Rail Size	Load daN	Type
For 16 mm	2500	ROCKING T600

OILER & OIL COLLECTORS







Code	Pulley Dia. 'D'	Rope Dia.	No. of ropes	Pitch 'P'	Width 'W'	Shaft Dia. 'd'	Ball Bearing
SP00015 1	250	6	5	12	84	50	6210-ZZ
SP00015 2	250	6	6	12	84	50	6210-ZZ
SP00015 3	250	6	7	12	116	50	6210-ZZ
SP00015 4	250	6	8	12	116	50	6210-ZZ
SP00015 5	300	8	4	12	70	50	6210-ZZ
SP00015 6	300	8	5	12	70	50	6210-ZZ
SP00015 7	300	8	6	12	83	50	6210-ZZ
SP00015 8	300	10	3	17	70	50	6210-ZZ
SP00015 9	300	10	4	17	83	50	6210-ZZ
SP00015 10	300	10	5	17	102	50	6210-ZZ
SP00015 11	300	13	3	19	70	50	6210-ZZ
SP00015 12	300	13	4	19	83	50	6210-ZZ
SP00015 13	320	6	5	12	70	55	6211-ZZ
SP00015 14	320	6	6	12	86	55	6211-ZZ
SP00015 15	320	6	7	12	106	55	6211-ZZ
SP00015 16	320	6	8	12	130	55	6211-ZZ
SP00015 17	320	8	4	12	70	55	6211-ZZ
SP00015 18	320	8	5	12	70	55	6211-ZZ
SP00015 19	320	8	6	12	86	55	6211-ZZ
SP00015 20	400	8	4	12	70	55	6211-ZZ
SP00015 21	400	8	5	12	70	55	6211-ZZ
SP00015 22	400	8	6	12	84	55	6211-ZZ
SP00015 23	400	8	8	12	102	55	6211-ZZ
SP00015 24	400	10	3	17	70	55	6211-ZZ
SP00015 25	400	10	4	17	84	55	6211-ZZ
SP00015 26	400	10	5	17	102	55	6211-ZZ
SP00015 27	400	13	3	19	70	55	6211-ZZ
SP00015 28	400	13	4	19	84	55	6211-ZZ
SP00015 29	400	13	5	19	102	55	6211-ZZ
SP00015 30	525	8	6	12	102	55	6211-ZZ
SP00015 31	525	8	8	12	108	55	6211-ZZ
SP00015 32	525	10	3	17	102	55	6211-ZZ
SP00015 33	525	10	4	17	102	55	6211-ZZ
SP00015 34	525	10	5	17	102	55	6211-ZZ
SP00015 35	525	13	3	19	102	55	6211-ZZ
SP00015 36	525	13	4	19	102	55	6211-ZZ
SP00015 37	525	13	5	19	130	55	6211-ZZ
SP00015 38	525	13	6	19	130	55	6211-ZZ





CODE	BP	PROVES %	ROPE DIA*mm*	A	C	L	V	Z	d	h	R	STATIC LOADING	BALL BEARINGS
SP00015 1	360	4	9-11	82	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 2	400	4	9-11	85	128	175	85	300	50	45	55	2500	6210-ZZ
SP00015 3	400	5	9-11	100	128	175	85	300	50	45	55	3900	6210-ZZ
SP00015 4	450	5	9-11/ 12-14	100	128	175	85	300	50	45	55	3900	6210-ZZ
SP00015 5	525	6	9-11/ 12-14	133	135	185	133	300	55	48	60	6300	6211-ZZ
SP00015 6	550	7	9-11	130	128	175	122	300	55	48	60	6300	6211-ZZ
SP00015 7	480	5	12-14	101	135	175	88	300	50	45	55	3900	6210-ZZ
SP00015 8	480	6	12-14	134	135	175	124	300	50	45	55	3900	6210-ZZ
SP00015 9	400	6	9-11/ 12-14	101	128	175	88	300	50	45	55	3900	6210-ZZ
SP00015 10	200	4	9-11	82	125	174	53	300	45	49	45	1800	6209-ZZ
SP00015 11	300	3	10-13	85	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 12	300	4	10-13	85	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 13	400	3	9-11/ 12-14	85	128	175	85	300	50	45	45	2500	6210-ZZ
SP00015 14	200	2	9-11	50	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 15	200	5	9-11	82	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 16	200	6	9-11	82	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 17	250	4	9-11	85	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 18	250	5	9-11	85	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 19	300	5	9-11	100	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 20	320	8	9-11	100	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 21	360	5	9-11	107	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 22	400	7	9-11/ 12-14	135	128	175	85	300	50	45	55	3900	6210-ZZ
SP00015 23	450	4	9-11	135	128	175	85	300	50	45	55	3900	6210-ZZ
SP00015 24	450	7	9-11/ 12-14	135	128	175	85	300	50	45	55	3900	6210-ZZ
SP00015 25	525	3	12-14	100	135	175	124	300	55	48	60	6300	6211-ZZ
SP00015 26	525	4	12-14	100	135	175	124	300	55	48	60	6300	6211-ZZ
SP00015 27	525	5	12-14	100	135	175	124	300	55	48	60	6300	6211-ZZ
SP00015 28	250	6	9-11	82	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 29	250	8	9-11	100	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 30	320	4	9-11	85	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 31	360	6	9-11	82	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 32	320	5	9-11	100	128	175	85	300	50	45	55	2000	6210-ZZ
SP00015 33	210	5	9-11	85	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 34	240	6	9-11	85	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 35	240	8	9-11	85	128	174	53	300	45	49	45	1800	6209-ZZ
SP00015 36	240	10	9-11	85	128 0	174	53	300	45	49	45	1800	6209-ZZ


CASTING PEDESTAL



FABRICATED PEDESTAL





U-BOLT




PULLEY ACCESSORIES

SHAFT WITH CENTRE LOOKING PULLEY ARRANGEMENT




D. B. BL. L. M. ML customised as per needs

SHAFT WITH PROVISION FOR UBOLT CLAMPING





D. L. M. ML customised as per needs

SHAFT WITH PROVISION FOR LOCK PLATE





D. L. X. M. ML customised as per needs



CABLE HANGER





CODE-TP00002




CODE-TP00302



CODE-TP00313



SPRING BUFFERS



TECHNICAL DATA	LENGTH Lo = mm	WIRE DIA D = mm	OUTSIDE DIA De = mm	MIDDLE DIA Dm = mm	PITCH P = mm	ACTIVE TURNS it =	TOTAL TURNS lt =	TOTAL COMPRESS LOAD F = daN
SP00038 14	235	14	85	71	23.26	9.50	10.50	828
SP00038 14/320	320	14	94	80	26.61	11.50	13.00	928
SP00038 15	210	15	89	74	26	7.50	8.50	1165
SP00038 15/330	330	15	94	79	30	10.50	12.00	1360
SP00038 16	320	16	112	96	38	20	10	1560
SP00038 18	250	18	98	80	29	8.00	9.00	1851
SP00038 18/20	420	18	98	80	29.78	13.50	15.00	2007

SPRING BUFFERS

HYDRAULIC BUFFER CODE-SP00022




Min. Stroke	- 173.7
Max. open height	- 485.6
Nominal oil volume	- 0.9LITRES
Buffer mass/ no oil	- 6.7KG



POLYTHENE BUFFER CODE- SP00065



Speed $\leq 1,00$ m/s	$\leq 1,00$ m/s
Load 450Kg - 2200Kg	- 2200Kg
Height = 115 mm	= 115 mm
Diameter = 95 mm	= 95 mm




SPRING BUFFERS





Code	Speed m/s
SP00195	0,63
Impact Force N	Buffer Stroke (Single Buffer)mm
21140	110

ISLOATORS





CODE	HARDNESS	D mm	H mm	PIN	STROKE Y mm	LOAD daN
2MC-A3	sh65	56	38	M10x23x23	280	3.8
2MC-A6	sh65	75	30	M12x28x23	455	3.5




CODE	HARDNESS	D mm	H mm	PIN	STROKE Y mm	LOAD daN
2MC-A3	sh65	56	38	M10x23x23	280	3.8

STEADIER BUFFER




ELEVATOR BRACKRT


2MCO38




2MCO39




2MCO40




2MCO41



2MCO42




2MCO43




ELEVATOR BRACKET


2MC060




2MC061




2MC062




2MC063



2MC064





2MC065






Technical drawing of a rectangular plate with dimensions and labels. The plate has a length of 200, a width of 75, and a thickness of 4. The drawing shows a top view and a side view. The top view labels include 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200. The side view labels include 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200.

ELEVATOR BRACKETS



BRACKET & ACCESSORIES



RAIL CLIPS

CODE-FP00021




Available Finish

• White Zinc Passivated

• Yellow Zinc Passivated

• Anodised



CODE	D mm	A mm	B mm	L mm
ERC 10	M 10	25	32	25
ERC 12	M 12	25	39	28
ERC 14	M 14	30	45	36
ERC 16	M 16	35	50	45
ERC 18	M 18	35	55	45

DECENT

elevators

Simplify your purchases with us:
Your one-stop solution for affordable
elevator materials

Mechanical Accessories




(W/r)clips

M1001



Nuts

M1002



Flat washer

M1003



Spring washer

M1004



Bolts


M1005



Door panel hanging bolt

M1006

Mechanical Accessories

		
Door shoe <i>M1007</i>	Anchor <i>M1008</i>	Black nuts and bolts <i>M1009</i>
		
Door strap <i>M1010</i>	Door limit switch <i>M1011</i>	Roller plate <i>M1012</i>
		
Counter weight shoe 5mm <i>M1013</i>	Rail bracket <i>M1014</i>	Door bracket <i>M1015</i>
		
Bracket <i>M1016</i>	Cable clamp <i>M1017</i>	Lock <i>M1018</i>

Mechanical Accessories

		
Center opening ac pm synchronous car door M1019	Center opening landing door M1020	Hydraulic buffer M1021
		
Tension device M1022	Governor M1023	Safety gear M1024
		
Safety linkage device M1025	Progressive safety gear M1026	Wire rope brake M1027
		
Guide Shoe M1028	Safety Gear M1029	Guide shoes M1030

Mechanical Accessories



Elevator traction machine M1031



Elevator traction machine M1032



Belt elevator traction machine M1033



Permanent magnet synchronous M1034




Permanent magnet synchronous M1035



Elevator traction machine M1036



Escalator drive M1037



Guide Shoe M1038



Guide shoe M1039



Guide shoe M1040



Guide shoe with bracket M1041



Guide shoe M1042

Mechanical Accessories



Escalator chain

M1043



Buffer

M1044




Motor for door operator

M1045



Clips

M1046



Guide Rail

M1047



Rope Attachment

M1048



Door Roller

M1049



Steel Rope

M1050




Pulley

M1051



Magnet

M1052



guide shoe lining

M1053



Brush

M1054

Mearharical Accesssoies



Roller

M1055



Nylon roller

M1056



Nylon Roller

M1057



Nylon Roller

M1058



Nylon Roller

M1059



Nylon Roller

M1060



Door Roller

M1061



Nylon Kicking Roller

M1062



Nylon Kicking Roller

M1063



Nylon Kicking Roller

M1064



Nylon Kicking Roller

M1065



Nylon Kicking Roller

M1066

Meaharical Accesssoies



Door Roller

M1067



Door Roller

M1068



Door Roller

M1069



Door Roller

M1070



Door Roller

M1071



Door Roller

M1072



Door Roller

M1073



Door Roller

M1074



Door Roller

M1075



Car Foundation Rubber

M1076



Car Stedier Rubber

M1077



Machine Foundation Rubber

M1078

DECENT

elevators

2M LIFTS AND ESCALATORS

Simplify your purchases with us:
Your one-stop solution for affordable
elevator materials

Electrical Accessories



Car top box

E1001



Inspection box

E1002



Battery charger

E1003



Botton xb2-j174

E1004



Light case silver

E1005



Light case gold

E1006

Electrical Accessories

Electrical Accessories



Switch Socket

E1007



Pvc Box 3 X 3

E1008



Lampholder

E1009



Fisher

E1010



Triangle Key

E1011



Limit Switch Xck-M

E1012



Micro Switch Cm-1308

E1013



Toggle Switch

E1014



Micro Switch Lxw5-11G2

E1015



Limit Switch

E1016



Limit Switch

E1017



Limit Switch

C1018

Electrical Accessories



Fireman Switch Board

E1019



Led Tube

E1020



Magnetic Bistable Switch No

E1021



Blower Fan Fb-9B

E1022



Pvc Packing Roll

E1023




Pvc Cable Clips

E1024



Fan

E1025



Flat Cable

E1026



Elevatoe overload measurement

E1027



PVC Tape

E1028



Wire flexible

E1029



Bistable switch

E1030

Electrical Accessories



Door Contact

E1031



Door Contact

E1032



Door Contact

E1033



Door Contact

E1034



Door Contact

E1035



Light curtain

E1036



Monarch inverter

E1037



Photoelectric switch 1

E1038



Photoelectric switch

E1039



Proximity switch

E1040



Magnet Sensor

E1041



Door Contact

C1042

DECENT

e l e v a t o r s

Simplify your purchases with us:
Your one-stop solution for affordable
elevator materials

Control Panel Accessories



Auxiliary Contact

C1001



Contactor

C1002



GV2 Motor Protector

C1003



Relay

C1004



Transformer

C1005



PVC Lock

C1006

Control Panel Accessories



PVC connector MRK

C1007



PVC connector MRK

C1008



Push button

C1009



Push button

C1010

Control Panel Accessories



Botton Bs542

C1011



Botton Bd21

C1012



Botton BA42/31

C1013



Connection terminal

C1014



Circuit Breaker

C1015



Botton Be101

C1016



PVC Trunking

C1017



PVC Trunking

C1018



PVC Cable Tie

C1019



Lugs Fdd1.25 Rectifier

C1020



Lugs 1008




C1021



RV5.5-6 Lugs

C1022

Control Panel Accessories




		
Resistance	C1023	C1024
		
Plug	C1026	C1027
		
electric cabinet	C1029	C1031
		
Capacitor	C1032	C1033
Capacitor	C1033	C1034

DECENT





elevators

Simplify your purchases with us:
Your one-stop solution for affordable
elevator materials


Decoration Accessories

			
PVC Floor D1001	PVC Floor D1002	PVC Floor D1003	PVC floor D1004
			
PVC Floor D1005	PVC Floor D1006	PVC Floor D1007	

Decoration Accessories


		
PVC Floor <i>D1008</i>	PVC Floor <i>D1009</i>	PVC Floor <i>D1010</i>
		
PVC Floor <i>D1011</i>	PVC Floor <i>D1012</i>	PVC Floor <i>D1013</i>
		
PVC Floor <i>D1014</i>	PVC Floor <i>D1015</i>	PVC Floor <i>D1016</i>

Decoration Accessories




PVC Floor

D1017




PVC Floor

D1018




PVC Floor

D1019




PVC Floor

D1020




PVC Floor

D1021




PVC Floor

D1022



PVC Floor

D1023



PVC Floor

D1024



PVC Floor

D1025

Decoration Accessories



Stainless steel Etching *D1026*



Stainless steel Etching *D1027*



Stainless steel Etching *D1028*




Stainless steel Etching *D1029*




Stainless steel Etching *D1030*



Stainless steel Etching *D1031*




Stainless steel Etching *D1032*



Stainless steel Etching *D1033*



Stainless steel Etching *D1034*



Stainless steel Etching *D1035*



Stainless steel Etching *D1036*




Stainless steel Etching *D1037*

Decoration Accessories



Stainless steel Etching D1038



Stainless steel Etching D1039




Stainless steel Etching D1040



Stainless steel Etching D1041



Stainless steel Etching D1042




Stainless steel Etching D1043



Stainless steel Etching D1044



Stainless steel Etching D1045



Stainless steel Etching D1046



Stainless steel D1047



Stainless steel D1048



stainless steel laser sheet D1049

Decoration Accessories




Stainless Steel antique color D1050




Stainless Steel antique color D1051




stainless steel vibration D1052




Stainless Steel antique color D1053



stainless steel hairline D1054



stainless steel hairline D1055



stainless steel hairline D1056



stainless steel hairline D1057




stainless steel lamination D1058



stainless steel lamination D1059



stainless steel lamination D1060



stainless steel lamination D1061

Decoration Accessories



Stainless steel

D1062

Stainless steel

D1063

Stainless steel

D1064



Stainless steel

D1065

Stainless steel

D1066

Stainless steel

D1067



Stainless steel D1068

Stainless steel D1069

Stainless steel D1070

Stainless steel D1071

Stainless steel D1072

Stainless steel D1073



Stainless steel D1074

Stainless steel D1075


Stainless steel D1076

Stainless steel D1077

Stainless steel D1078

Stainless steel D1079

Decoration Accessories

					
Stainless steel D1080	Stainless steel D1081	Stainless steel D1082	Stainless steel D1083	Stainless steel D1084	Stainless steel D1085
					
Stainless steel D1086	Stainless steel D1087	Stainless steel D1088	Stainless steel D1089	Stainless steel D1090	Stainless steel D1091
					
Stainless steel D1092	Stainless steel D1093	Stainless steel D1094	Stainless steel D1095	Stainless steel D1096	Stainless steel D1097
					
Stainless steel D1098	Stainless steel D1099	Stainless steel D1100	Stainless steel D1101	Stainless steel D1102	Stainless steel D1103

Decoration Accessories



Handrail

D1104



Handrail

D1105



Handrail

D1106



Handrail

D1107



Handrail

D1108




Handrail

D1109



Handrail

D1110




Handrail

D1111



Handrail

D1112




Handrail

D1113



Handrail

D1114



Handrail

D1115



elevator parts and components



+91 98248-40333



Info@decantelevators.com



www.decantelevators.com

