

DECENTTM
DES GROUPS



we value your
COMFORT

A place where discoveries intersect, families convene,
and affection flourishes

Contact: +91-9824840333

1, Addarsh silver estet.kathwada road no 5, kathwada. Ahmedabad, Gujarat-382330

Email ID : decantelevatorsservices@gmail.c

INNO-96 Elevator Light Beam




Model	INNO - 96
Number of Diodes	17 Pairs
Distance Between Diodes	114.2mm
Maximum Beams	96 Beams
Cable Reliability	20 Million Door Movements
Light Immunity	≥ 100,000 LUX
EMC Compliance	Emissions to EN 12015, Immunity to EN12016-20°C
Operating Temperature Range	-20 °C ~+ 65°C
IP Rating	IP54

- Dormancy function prolongs the sensor's life
- With the adoption of new PCB technology, its ability to resist corrosion increases, hence will be stable and reliable
- Beautiful design & appearance, easy installation, suitable for most brand elevators
- Advance technics & equipments, reliable SMT surface padding technology



PO1 / PC1 Elevator Reed Sensor



Contact Form	Form A 'NO' / B 'NC'
Contact Rating	120 VA max
Switching Voltage	250 VAC / VDC
Switching Current	3 Amp DC max
Initial Contact Resistance	1 Ohms max



INNO-91

Contact Structure	1NO+1NC
Operating Force	500g (4.9N)
Travel	70°C
Reset Mode	Auto Reset

INNO-1370

Contact Structure	NC or NO
Operating Force	1 Kg Max.
Travel	25 mm Max.
Reset Mode	Auto Reset





GUIDE SHOE






Rated Speed : $\leq 1.75\text{m/s}$
 Positive Force : 1050N
 Yawing Force : 650N
 Model No. : GS-01
 Guide Rail Size : 9;10;16 mm



Model No. : GS-05
 Rated Speed : $\leq 1.75\text{m/s}$
 Guide Rail Size : 10;16 mm






ROLLER GUIDE SHOE




Our Roller guide shoe with High Elastic Polyurathene, keep wheels in position and isolate the elevator's passenger cabin from noticeable wheel vibration. Roller Dia is 125mm which is suitable for 9, 10 and 16mm rail, with a rated speed of 2.5m/s.

BLOWER



PARAMETERS	INNO-1300	INNO-270
Power Input	25 w	57 w
Rated Voltage	230VAC at 50 Hz	230VAC at 50 Hz
Rated Voltage	$\leq 47\text{dB}$	$\leq 70\text{dB}$
Noise	41k	61k
Air Flow	$\geq 5.5\text{m}^3/\text{min}$	$\geq 8\text{m}^3/\text{min}$
Rated Speed	1390 RPM	2500 RPM

FAN



PARAMETERS	
Power Input	25w
Rated Voltage	220VAC at 50 Hz
Sound	67dB
RPM	1370
Rated Current	0.80A

ELEVATOR RAIL ALIGNMENT SCALE



SENSORS



P10 BoxType Reed Sensor



RF04 Reed Sensor



RF02-101 Reed Sensor



RS04 Bistable Reed Sensor



KCBR-59122 Bistable Reed



RF02-16 ATEX / CE Sensor



YG-1 Reed Sensor



RCF-1 Impulse Encoder



GLS 126N T2.NC/NO
Cedes Sensor



Heidenhain Sensor



Rechargeable Power Supply



40x25x10mm 53x24x11mm

Ferrite Magnet



Siren / Hooter



KCB-III A Magnetic Sensor



Motor Brake Rectifier Device



INNO-31 PNP/NPN Proximity



RADEC-M Radar Sensor



Otis GAA21750AK3



Kone KM878240G01



Reed Bracket

SWITCHES



INNO-1307
Overload Switch



INNO-1308



Z1R 236
Governor Switch



UK/UKT
Governor Switch



TV17H 236



XS1-24
Governor Switch



Pit Switch



Fireman Switch



Emergency Alarm



Maintenance Box



1375F Governor Switch



131 Car Door Switch



UKS-UKT
Governor Switch



121 Car Door Switch



134 Cam Switch



Overload Switch



Wittur D-Locking



Key-01 Keylock



DL-01 D-lock



Key-02 D-lock



Key-03 COP Lock



Keylock LC110



Elevator Door Key



Key Handle



Door Lock Lever

CONTACT SWITCH



DC-01 Contact Switch



S-8 Thyssen Switch



Fermator V Door Contact



419 Fermator Door Contact



5546 Door Contact



QKS Schindler Contact



DC-07 Door Lock Contact



Interlock Switch



Otis Interlock Switch



EDC-92 Contact Switch



AZ14-1KD Contact Switch



KF-9074 Selcom Contact



KF-2V Selcom Contact



DC-05 Door Contact



DC-05-1
Passive Door Switch



DC-05-2
Vice Door Switch



DC-05-3
Vice Door Switch



DC-05-4
Vice Door Switch

ELEVATOR SPARES



Over Speed Governor



OSG Tensioner



Counter Spring



Oil Buffer



PU Buffer



Door Coupler / Skate



Handrail



Door Closer



AS-01 Swing Door Lock



Genesis Lock Lever



Hydraulic R-Cam



Auto Door Lock



Bulldog Clip



161 Car Door Switch



Toshiba Hall
Door Lock DBL-2/5



Schindler Door Lock



Thimble



Contact Elements



Rope Fastner



Rail Clip



Rope Clamp



Cable Hanger

FERMATOR PARTS



Rubber Stop Support



Door Lock



Toothhead Belt



Door Motor



Fermator Motor and Belt Pulley



Rubber Stopper



Belt Connector



Skate Spring



Encoder Board



Rope



Door Lock Part



Door Coupler



Door Controller



Counter Roller



Excentric Roller



Excentric Roller



Lock Roller



Excentric Roller



Skate Hook



Closing Spring and Hook



Car Header Rope



Door Contact Switches



Skate Hook



J-Bolt



Hanger Bolt

DOOR SHOE / ESCALATOR PARTS



DS-01 Door Slider



DS-02 Door Slider



DS-03 Door Slider



DS-04 Door Shoe



DS-05 Door Shoe



DS-06 Door Shoe



DS-07 Door Shoe



DS-09 Door Shoe



Wittur Door Shoe



BLT Door Slider



Kone Door Slider



Kone Door Shoe



Hitachi Door Shoe



Schindler Door Slider



Schindler Door Shoe



Schindler Door Shoe



70/75/80x25x6204

Escalator Step Wheel



Escalator Handrail



Escalator Step



Newel chain
17 section



Escalator Step
Chain

GUIDE SHOE / OIL CUP / SHOE LINER



Compensating Chain Holder



GS-04 Alu Die Cast Shoe



SG-11 Guide Shoe



GS-06 Guide Shoe



GS-07 Guide Shoe



GS-08 Guide Shoe



GS-09 Guide Shoe



Counter Shoe 5/9mm



OC-02 Oil Cup



OC-03 Oil Cup



OC-07 Oil Cup



OC-08 Oil Cup



OC-09 Oil Tray



OC-04 Oil Tray



Isolation Pad



Guide Shoe
128 / 87mm



Otis Guide Shoe
150 / 200mm



Guide Shoe
134x24 / 97x20



Counter Shoe



Mitsubishi
Shoe Liner



Fujitec Shoe
Liner

ELEVATOR ROLLERS



44x16 mm

Genesis Excentric Roller



64x9 mm

Genesis Rope Roller



56x16 mm

Genesis Door Roller



56x14 mm

Door Roller



72x14 mm

Door Roller



50x14 mm

Kone Hanger Roller



32x14 mm

Selcom Buffer Roller



44x12 mm

Kone Counter Roller Excentric



Excentric Roller 30mm



Otis Door Roller



31mm

Excentric Roller



35mm

Fermator Lock Roller



64mm

Fermator Aircord Roller



47mm

Fermator Aircord Roller



48mm

Fermator Hanger Roller



48mm

Metal Hanger Roller



48mm

Fermator Excentric Roller



Door Header Chain



Door Header Rope Roller



Thyssen Excentric Roller



60x16 mm

Toshiba Door Roller



Roller 49x15mm



46x13mm

161 Door Lock Roller



40x11mm

Header Roller

We are an established Firm engaged in bulk importing and sourcing Elevator components since 1995. Many parts are Sourced locally and hard to find and critical items are imported to meet the constant demand of our branded items.

The range of products confirms to the quality standards. Quality assurance procedures at every level of procurement, ensures that the premium quality of the offered electrical and electronic components is never compromised at our end. To ensure the best quality, we have selected our vendors based on highest track record of manufacturing and supplies.

The offered elevator parts are rendered by us in all the standard sizes and designs, which best suits the requirements of our valuable customers in the most efficient manner.

Strong logistic support has helped us in delivering the products in assured time frame.



VINOD PATEL +91-9824840333



decentelevatorsservices@gmail.com



1, Addarsh silver estet.kathwada road



no 5, kathwada. Ahmedabad, Gujarat-382330

